Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	425	router same ((private with branch with exchanger) or PBX)	USPAT; EPO; IBM_TDB	OR	ON	2005/11/08 15:41
L4	398	1 and (LAN or (network with interface) or (communication with network))	USPAT; EPO; IBM_TDB	OR	ON	2005/11/08 15:17
L5	35	4 and bus with PBX	USPAT; EPO; IBM_TDB	OR	ON	2005/11/08 15:18
L6	35	5 and (table or memory)	USPAT; EPO; IBM_TDB	OR	ON	2005/11/08 15:19
L7	28	6 and (rout$3 or transmit$4 or send$3) with packet	USPAT	OR	OFF	2005/11/08 15:20
L8	32	6 and (rout$3 or transmit$4 or send$3) with packet	USPAT; EPO; IBM_TDB	OR	ON	2005/11/08 17:18
L9	10368	((private with branch with exchanger) or PBX or (key with telephone with system))	USPAT; EPO; IBM_TDB	OR	ON	2005/11/08 17:02
L10	278	((private with branch with exchanger) or PBX or (key with telephone with system)) with router	USPAT; EPO; IBM_TDB	OR	ON	2005/11/08 16:17
L11	140	10 and bus	USPAT	OR	OFF	2005/11/08 15:43
L12	141	10 and bus	USPAT; EPO; IBM_TDB	OR	ON	2005/11/08 15:43
L13	121	10 and bus and (network with interface)	USPAT; EPO; IBM_TDB	OR	ON	2005/11/08 15:44
L14	427	((private with branch with exchanger) or PBX or (key with telephone with system)) same router	USPAT; EPO; IBM_TDB	OR	ON	2005/11/08 16:18
L15	103	14 and bus with interface	USPAT	OR	OFF	2005/11/08 16:18
L16	110	14 and bus with interface	USPAT; EPO; IBM_TDB	OR	ON	2005/11/08 16:18
L17	102	16 and network with interface	USPAT	OR	OFF	2005/11/08 16:18
L18	102	16 and network with interface	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/11/08 16:27

L19	1444	((private with branch with exchanger) or PBX or (key with telephone with system)) and router	USPAT; EPO; IBM_TDB	OR	ON	2005/11/08 17:30
L20	71	19 and router same bus same (network with interface)	USPAT; EPO; IBM_TDB	OR	ON	2005/11/08 17:04
L21	49	20 and rout$3 same (table or memory)	USPAT; EPO; IBM_TDB	OR	ON	2005/11/08 17:06
L23	46987	"379"/$.ccls.	USPAT	OR	OFF	2005/11/08 17:20
L24	1372	23 and router	USPAT	OR	OFF	2005/11/08 17:20
L25	484	23 and router and PBX	USPAT	OR	OFF	2005/11/08 17:21
L26	16	25 and router with bus	USPAT	OR	OFF	2005/11/08 17:25
L27	15	23 and router with (bus with interface)	USPAT	OR	OFF	2005/11/08 17:25
L28	10	((private with branch with exchanger) or PBX or (key with telephone with system)) and 27	USPAT; EPO; IBM_TDB	OR	ON	2005/11/08 17:32
L29	1444	((private with branch with exchanger) or PBX or (key with telephone with system)) and router	USPAT; EPO; IBM_TDB	OR	ON	2005/11/08 17:32
L30	108	((private with branch with exchanger) or PBX or (key with telephone with system)) and router same (bus with interface)	USPAT; EPO; IBM_TDB	OR	ON	2005/11/08 17:33
L31	38	((private with branch with exchanger) or PBX or (key with telephone with system)) and router with (bus with interface)	USPAT; EPO; IBM_TDB	OR	ON	2005/11/08 17:48
L32	79	((private with branch with exchanger) or PBX or (key with telephone with system)) and router with bus	USPAT; EPO; IBM_TDB	OR	ON	2005/11/08 17:48
L33	9	((private with branch with exchanger) or PBX or (key with telephone with system)) and router with bus with (NIC or (network with interface))	USPAT; EPO; IBM_TDB	OR	ON	2005/11/08 17:58
L34	111	((private with branch with exchanger) or PBX or (key with telephone with system)) and router with (convert$3 or translat$3 or conversion) with (packet or signal)	USPAT; EPO; IBM_TDB	OR	ON	2005/11/08 18:00

L35	13	((private with branch with exchanger) or PBX or (key with telephone with system)) and router with (convert$3 or translat$3 or conversion) with (packet or signal) and router with (rout$3 or transmit$4 or send$3) with (packet or signal) with table	USPAT; EPO; IBM_TDB	OR	ON	2005/11/08 18:12
L36	204	((private with branch with exchanger) or PBX or (key with telephone with system)) and router same (convert$3 or translat$3 or conversion) with (packet or signal)	USPAT; EPO; IBM_TDB	OR	ON	2005/11/08 18:12
L37	111	((private with branch with exchanger) or PBX or (key with telephone with system)) and router with (convert$3 or translat$3 or conversion) with (packet or signal)	USPAT; EPO; IBM_TDB	OR	ON	2005/11/08 18:12
L38	27	((private with branch with exchanger) or PBX or (key with telephone with system)) same router with (convert$3 or translat$3 or conversion) with (packet or signal)	USPAT; EPO; IBM_TDB	OR	ON	2005/11/08 18:16